

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education

Advanced Subsidiary Level and Advanced Level

CANDIDATE NAME				
CENTRE NUMBER		CANDIDATE NUMBER		

BIOLOGY 9700/21

Paper 2 Structured Questions AS

October/November 2013
1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name in the spaces provided at the top of this page. Write in dark blue or black ink.

You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.



Answer **all** the questions.

For Examiner's Use

1 Fig. 1.1 shows a cell of a female fruit fly, *Drosophila melanogaster*, during a stage of mitosis.




Fig. 1.1

(a) (i)	Name the stage of mitosis shown in Fig. 1.1.	
		[1]
(ii)	Shade a pair of homologous chromosomes.	[1]
(iii)	Name the structure labelled W and state its function.	
		[2]

(b)	State what happens to structure ${\bf X}$ and to structure ${\bf Y}$ between the stage shown in Fig. 1.1 and the end of cell division.	For Examiner's Use
	[3]	
	[Total: 7]	

2 (a) Table 2.1 shows eight ions that are biologically important.

For Examiner's Use

Table 2.1

ammonium (NH ₄ ⁺)	Α
hydrogen (H ⁺)	В
hydrogen carbonate (HCO ₃ ⁻)	С
iron (Fe ²⁺)	D
magnesium (Mg ²⁺)	E
nitrate (NO ₃ ⁻)	F
phosphate (PO ₄ ³⁻)	G
sulfate (SO ₄ ²⁻)	Н

Choose one ion to match each of the following statements. In each case write **one** letter from Table 2.1. You may use each letter (**A** to **H**) once, more than once or not at all.

A component of polynucleotides.
[1]
Ion produced by enzyme activity inside red blood cells.
[1]
Ion used in the production of all amino acids in chloroplasts.
[1]
Ion that diffuses through carrier proteins with sucrose into companion cells in phloem tissue.
[1]
Component of haem group in haemoglobin that binds oxygen.
[1]

(b)	The enzyme nitrogenase is found in free-living and symbiotic nitrogen-fixing bacteria.
	Nitrogenase catalyses the reaction:

For Examiner's Use

$$N_{2 (g)} + 6 e^- + 8H^+_{(aq)} \longrightarrow 2NH_4^+_{(aq)}$$

Some nitrogenase enzymes have vanadium ions in their active sites; others have molybdenum ions.

Explain how the enzyme nitrogenase functions in the fixation of nitrogen.
[4]

(c) Some pea plants were grown with their roots in a solution of mineral ions. The solution was kept aerated for three days.

For Examiner's Use

[Total: 14]

The concentrations of five ions in the solution and in the root tissue were determined after the three days. The results are shown in Table 2.2.

Table 2.2

:	concentration / mmol dm ⁻³						
ion	surrounding solution	root tissue					
potassium (K+)	1.0	75.0					
magnesium (Mg ²⁺)	0.3	3.5					
calcium (Ca ²⁺)	1.0	2.0					
phosphate (PO ₄ ³⁻)	1.0	21.1					
sulfate (SO ₄ ²⁻)	0.3	19.7					

With reference to Table 2.2, suggest how cell surface membranes of root cells are responsible for the concentrations of ions in the roots compared to the surrounding solution.
[5]

Question 3 starts on page 8

3	(a)	Tuberculosis (TB) and chronic obstructive pulmonary disease (COPD) are diseases that affect the lungs.

For Examiner's Use

non-i	nfectious di	sease	es.		•	infectious		
								[2]

Macrophages are large phagocytic cells that are found in many tissues including alveolar tissue in the lungs. They provide the main means of defence against pathogens in this tissue.

Fig. 3.1 is a drawing made from an electron micrograph showing part of a capillary and two alveoli, with a macrophage.




Fig. 3.1

(b)	Wit	With reference to Fig. 3.1, explain:									
	(i)	how alveoli are adapted for gaseous exchange	Examiner's Use								
		[3]									
	(ii)	how macrophages function to protect the lungs from becoming infected.									
		[4]									
(c)		agocytes release enzymes that digest proteins. In smokers, this may lead to the je-scale destruction of alveolar walls.									
	Out	tline the effects of this destruction on a person's health.									
		[3]									
		[Total: 12]									

4 Cholesterol is synthesised in the smooth endoplasmic reticulum (SER) in liver cells by a series of enzyme-catalysed reactions.

For Examiner's Use

Within the SER, molecules of cholesterol and triglycerides are surrounded by proteins and phospholipids to form lipoproteins. These lipoprotein particles enter the Golgi apparatus where they are packaged into vesicles and pass to the blood.

Fig. 4.1 is an electron micrograph of part of a liver cell showing lipoprotein particles within the Golgi apparatus.




Fig. 4.1

Name structure 1 in Fig. 4.1 and state its role in liver cells.
[3]

(b)	(i)	Suggest why cholesterol is packaged into lipoproteins before release from liver cells into the blood.	For Examiner's Use
		[1]	
	(ii)	Explain why cells of the body need to be supplied with cholesterol.	
		[2]	
(c)	into	elesterol is also packaged into vesicles by the SER and then secreted from the cell small fluid-filled spaces between the liver cells. These spaces form ducts that drain the gall bladder to form bile.	
	Sug	gest how cholesterol is secreted into ducts, such as the duct in Fig. 4.1.	
		[2]	
(d)		e one function of the Golgi apparatus other than the packaging of substances into cles for transport.	
		[1]	
		[Total: 9]	

5 Table 5.1 shows the triplets of bases on the template polynucleotide of DNA for some amino acids.

For Examiner's Use

Table 5.1

amino	acid	DNA triplets			
glutamic acid	(glu)	стт стс			
histidine	(his)	GTA GTG			
leucine	(leu)	GAA GAG GAT GAC			
proline	(pro)	GGA GGG GGT GGC			
threonine	(thr)	TGA TGG TGT TGC			
valine	(val)	CAA CAG CAT CAC			

Fig. 5.1 shows the base sequences in DNA and mRNA for the first seven amino acids of the $\boldsymbol{\beta}$ chain of haemoglobin.

DNA	CAC		GAC	TGA	GGA	CTC	СТС
mRNA	GUG	CAC	CUG		CCU	GAG	GAG
β chain	val	his		thr	pro	glu	glu

Fig. 5.1

(a)	(1)	Use Table 5.1 to complete Fig. 5.1.	[3]
	(ii)	State the term used to describe the sequence of amino acids in a polypeptide.	
			.[1]

For Examiner's Use

(b)	In sickle cell anaemia, the amino acid at position 6 in the $\boldsymbol{\beta}$ chain is valine and not glutamic acid.
	Explain how a single change in the DNA triplet for the sixth amino acid of the gene coding for the β chain leads to the production of a different amino acid sequence.
	[5]
	[Total: 9]

6 In some ecosystems, certain species fulfil important roles in maintaining biodiversity in communities. These species are often known as keystone species.

For Examiner's Use

The sea otter, *Enhydra lutris*, is found in waters of the northern and eastern coasts of the Pacific, where it occupies a niche as a predator. These coastal waters are rich in kelp communities. Kelp are very large seaweeds that form 'underwater forests'.

In the 19th century the sea otter was hunted for its fur, with the result that populations decreased. A consequence of this reduction in numbers was the disappearance of much of the kelp. Conservation measures in the 20th century restored the numbers of sea otters.

Fig. 6.1 shows the food web for this ecosystem.




Fig. 6.1

(a)	Explain the meaning of the terms <i>niche</i> and <i>community</i> .	For
	niche	Examiner's Use
	community	
	[2]	
(b)		
(D)	a keystone species.	
	[4]	
(c)	Suggest how the efficiency of energy transfer from kelp to sea urchins could be determined.	
	[3]	

[Total: 9]

16

BLANK PAGE

Copyright Acknowledgements:

Fig. 4.1 © DON W. FAWCETT/SCIENCE PHOTO LIBRARY.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.